

LUXOR[®]

ACRYLIC UV SOLID SURFACE

Durlax Top Surface Ltd.

(An ISO 9001 and ISO 14001 Certified Company)

Address : Unit No 1601, 16th Floor,
Synergy Business Park Premises Coop Society Ltd,
Bhd. Virwani Industrial Estate Sahakarwadi Off. Vishweshwar Nagar Road,
Mumbai, Goregaon East, Maharashtra, India, 400063

Office : + 91 022-61560000
E-mail : info@durlaxindia.com


Factory Address : Vapi, Gujarat, INDIA

 [@Durlax](#)  [@durlax.official](#)  [www.durlax.com](#)

LUXOR[®]

ACRYLIC UV SOLID SURFACE

MANUFACTURED WITH GERMAN TECHNOLOGY



Mood. Welcome to LUXOR®.

Discover a world where colour, craftsmanship and creativity transform spaces. LUXOR® Acrylic UV Solid Surfaces bring richness, depth and personality to interiors - reflecting your taste, your style and your vision.

Explore our uni-colour palette and experience how premium surfaces can elevate your space with timeless elegance.

Design Your Dream

with our premium shades

Each LUXOR® shade is crafted to create refined, expressive and unforgettable interiors. From subtle undertones to bold statements, our curated palette brings sophistication and distinction to every project



LUXOR®
ACRYLIC UV SOLID SURFACE



At DURLAX®, innovation begins with imagination.

With a strong foundation of over 18 years of industry expertise, we have continuously advanced solid surface technology through research, design and manufacturing excellence.

Founded in 2010, DURLAX® introduced a patented production system for solid surface sheets setting new quality benchmarks. Today, we craft LUXOR® Acrylic Premium UV Solid Surfaces engineered for modern architecture and demanding applications.

Our state-of-the-art manufacturing facility ensures precision, consistency and a flawless finish bringing world-class surfaces to life.

LUXOR®
ACRYLIC UV SOLID SURFACE

LUXOR® have a well-built and spacious area for smooth production.



Shades of LUXOR®


Whites

Super White
SW-119



Whites

I-White
IW-118




Crayons

Coffee-Bean
CB-107




Crayons

Glacier Ice
GL-124



Crayons

Jasmine-Green



Crayons

Marine-Blue
MB-106



Crayons

Nougat-Cream
NG-201



Crayons

Pista Mint
PM-302



Crayons

Spring Green
SG-120




Crayons

Sunflower
SF-121



Crayons

Toffee-Brown
TB-104



Crayons

Red Hot
RH-103



Crayons

Concrete Grey
CG-149



Crayons

Citrus Orange
CO-905




Crayons

California-Orange
CO-153



Crayons

Black Bird
BB-119



Crayons

Steel
ST-104



Crayons

Bone
PM-302



Medi Blue

Medi Blue
MB-130



Neons

Ruby
MI-108



Shades of LUXOR®

Neons

Skylite
SL-109



Pebblon

Abalone
AB-137



Pebblon

Beige
PB-101




Pebblon

Clay
PE-305



Pebblon

Cocoa
PC-112



Pebblon

Cream
PM-307



Pebblon

Dove
DV-158



Pebblon

Earl Grey
EG-129



Pebblon

Golden
PG-114



Pebblon

Stone
PB-304



Pebblon

Grey
PR-306



Pebblon

Ice
PI-001



Pebblon

Leche
LE-133



Pebblon

Macchito
G-111



Pebblon

Oat
PO-038



Pebblon

Galaxy
PG-161



Pebblon

Swan
PS-703



Pebblon

Savannah
PBS-319




Pebblon

Spinnel
PS-123




Pebblon

White
PW-113



Shades of LUXOR®



Printed representation of colours may vary from actual samples :

Please view actual sample prior to selection.
Crayon and Neon series colors might show hairline seam.
Please check actual sample for selection.

WHITES









I-White

IW-118



CRAYONS







CRAYONS


Red Hot

RH-103



CRAYONS






NEONS

Ruby

MI-108






Mint Ice

MI-108




Glacier Ice

GL-124



Neons-Skylite


SL-109









PEBBLON

Leche

LE-133






Elevate your space.
Strengthen your future.




PEARL

Amor

AR-131




Futuristic Layers
Redefined



PEARL

Glittering Black

GB-147



ASPEON

Party

PP-157




Surfaces
Reimagined Beautifully





ASPEON

Cream

AC-015





Healthcare


- OT Wall Cladding
- OT Ceiling
- OT Door Jams
- Scrub Vanities
- Vanity Counters
- Baby Bath
- Nurses Counter
- Laboratory Tops
- Hygiene Surfaces
- Crash Guards
- Storage Racks



Why LUXOR® is Ideal for Healthcare Spaces?

Hygiene is paramount in medical environments, and LUXOR® surfaces deliver complete peace of mind. Being non-porous, seamless and germ-resistant, LUXOR® prevents bacteria from settling on walls, counters and ceilings. Its thermoformable nature allows smooth curves and uninterrupted surfaces ideal for OT cladding, scrub stations and clean rooms.

Impact-resistant, stain-proof and easy to maintain, LUXOR® remains pristine for years. Soft, calming colours like Mint Ice, Sky Blue and Vanilla also create a healing, welcoming atmosphere for patients.




LUXOR® MediScrub, Surgical Scrub Vanities.

Engineered for professional hygiene, MediScrub combines ergonomic form with seamless construction. A sloped base minimizes splashing, while the non-porous LUXOR® surface ensures quick cleaning and superior sanitation.

Available in wall-mounted and floor-mounted models, MediScrub supports complete customization of size, design and colour perfect for modern healthcare facilities.

District Hospital - Orissa



District Hospital - Orissa



District Hospital - Orissa



Exterior Extravaganza

LUXOR® enhances exteriors with beauty and endurance. Seamless, thermoformable and weather-resistant, it adapts easily to facades, railings, furniture, signage and more. With UV-stable colours and long-lasting performance, LUXOR® lets your exteriors make a bold, architectural statement.

IT Park - Kerala



Exteriors

Tathastu - Pune



Nirlon, Goregaon - Mumbai



Exterior that lasts

Designed to withstand sunlight, moisture and environmental conditions, LUXOR® retains its elegance and strength season after season.


Timeless Outdoor Finish



LUXOR® is an evolution in surface engineering crafted layer by layer for durability, precision and refined visual appeal. It transforms ordinary walls into expressive design elements that elevate both interiors and exteriors.

Strength Meets Sophistication.

With advanced layering technology, LUXOR® creates impactful surfaces that unite performance with artistry perfect for premium residential and commercial spaces.



I-White
IW-118

Built for Sophistication



International Petrol Pump - Bahrain



International Petrol Pump - Bahrain



Glacier Ice
GL-124


Pure Design
Expression

Residential

- Vanity
- Vanity Counter
- Wall Cladding
- Shower Cubical
- Bath Tub
- Vanity Furniture
- Door Jams & Window Sills
- Mirror Frames
- Washroom Partitions

LUXOR® brings practicality and beauty to everyday living.

Its seamless, non-porous surface resists stains, moisture and wear making it ideal for vanities, shower areas, wall cladding, window sills and cabinetry. Vibrant, consistent colours add refinement, while superior thermoformability supports smooth joints and custom shapes.



Futureproof Your Space



Residential Project - Pune



RESIDENTIAL

Smart Surface Living

Kitchen Counter Top

Back Splash with Coving

Dado Wall

Sink Bowls

Kitchen Island Top

Serving Counter

Kitchen Shutters

Chopping Board



LUXOR® enhances kitchens with hygienic, long-lasting elegance across countertops, backsplashes, covings, island tops, shutters and more. Everyday living becomes effortless with a surface designed for performance and beauty.



Designed
to endure





Engineered
for tomorrow





- Lift Lobby Cladding
- Luggage Racks
- Food Court Areas
- Planters
- Urinal Partition
- Conference Table
- Signage
- Handrail

Designed for High-Impact Spaces


LUXOR® transforms commercial environments with its lively colours, smooth finish and unmatched functionality. It can be routed, carved, thermoformed and back-lit enabling designers to create limitless concepts with ease.

Strong, durable and low-maintenance, LUXOR® suits counters, signage, partitions, cladding, seating, check-in desks, display units and more bringing creativity and professionalism together.





Mumbai Port



I-White
IW-118

Mumbai Port



Agartala Airport



Red Hot
RH-103

Goa Airport



Hospitality

Where First Impressions Matter

Hospitals, hotels, restaurants and lounges demand surfaces that balance aesthetics with longevity.

LUXOR® delivers both its warm colours, seamless finish and premium texture create inviting spaces, while its durability ensures easy maintenance and long-term appeal.



TECHNICAL SPECIFICATIONS

LUXOR® ACRYLIC UV SOLID SURFACE

PHYSICAL PROPERTIES

| PROPERTY | TEST PROCEDURE | UNIT | TYPICAL RESULT |
|-------------------------------|---------------------------|---|---|
| Density | ASTM D-792A | g/cm | 1.70-1.75 |
| Flexural Strength | ASTM D-790 | Psi min | 10000 |
| Water Absorption | DIN EN 438 PART 12 | % | <0.1% |
| Hardness Barcol | ASTM D-2583 | | 60-65 Barcol Impressor |
| Heat Expansion | ASTM D-696 | 1x10 ⁻⁵ in/in°F | 2.1 |
| Ignition Test | ASTM D-2863 | | 38 |
| Tensile Strength | ASTM D-638 | PSI | 6000-6500 |
| Elongation | ASTM D-638 | % | 0.4 |
| Ball Impact | NEMA LD | NO FRACTURE – 0.5 lb BALL 6mm slab – 36" drop 12mm slab – 144" drop | UNBREAKABLE |
| Wear Resistance (Abrasion) | ASTM D-4060 | g/1000cycl | 0.05 |
| Gloss (60 Gardner) | NEMA LD-3 | | Between 5-20 |
| High Temperature Resistance | NEMA LD-3 | | NO EFFECT |
| Boiling Water Resistance | NEMA LD-3 | | NO EFFECT |
| Stain Resistance | ANSI Z 124 | | PASS Rating 41 |
| Flame Retardant | DIN 4102-1 | | CLASS A1 |
| Resistance to Cigarette Burns | DIN 68861, Part 6, 11-'82 | | No Burning Or Visual Changes Shall observe |
| Fungi & Bacteria | ASTM G21 & G22 | | Does not support microbial growth |

PRODUCT SPECIFICATIONS

| THICKNESS (MM) | THICKNESS (IN) | WIDTH (MM) | WIDTH (IN) | LENGTH (MM) | LENGTH (IN) |
|----------------|----------------|------------|------------|-------------|-------------|
| 6 | 1/4 in | 760 | 30 | 2440 | 96 |
| 12 | 1/2 in | 760 | 30 | 2440/3660 | 96/144 |

Engineered for Performance

LUXOR® Acrylic UV Solid Surfaces are tested to global standards (ASTM, NEMA, DIN) to ensure long-lasting reliability.

With high flexural strength, superior hardness, low water absorption, excellent heat resistance, and outstanding dimensional stability, LUXOR® consistently outperforms conventional materials making it a trusted choice for architects and designers.

Standard thickness options across all colours are 6 mm and 12 mm. For special requirements, selected colours can be made available in thicknesses ranging from 4 mm to 20 mm, subject to MOQ.



USE AND CARE GUIDELINES



Clean Once A Month



Avoid Oil & Dust



Use Soft Sponge/Cloth



Residential & Commercial Use



Use Low PH Cleaner



Comes with 10 Year Warranty

LIVING WITH LUXOR®

Use and care guidelines

LUXOR® solid surfaces are crafted to deliver long-lasting beauty with remarkably simple care. Their non-porous, seamless construction ensures easy cleaning and exceptional durability, making them ideal for homes, hospitality environments, healthcare facilities and high-traffic commercial spaces. With just a little everyday maintenance, your LUXOR® surface will retain its clarity, elegance and smooth finish for years.

For daily upkeep, a soft damp cloth or sponge is all you need. Wiping the surface clean and drying it afterward prevents water spots, especially in regions with hard water. Most routine marks and kitchen stains can be removed effortlessly using an ammonia-based cleaner such as standard glass cleaning solutions or any non-abrasive spray designed for solid surfaces. Once cleaned, a gentle wipe with a soft cloth helps maintain the surface's natural sheen.

LUXOR® offers a wide selection of colours and finish options, each crafted to enhance different styles of interiors. These finishes may require slightly different care. Matt finishes, with their low-sheen appearance, are designed for active spaces and respond well to gentle circular cleaning using a mild abrasive cream and a soft sponge. Satin finishes, which offer a subtle, refined sheen, require a lighter touch to maintain their visual smoothness. Darker colours in both finishes tend to show signs of everyday use more readily than lighter shades and may occasionally require additional attention to restore uniformity.

Gloss finishes, with their reflective elegance, require special care to preserve their clarity. They should be cleaned only with non-abrasive products and soft sponges to prevent dulling or micro-scratches. If a stain persists, applying a gentle non-abrasive cleaner and allowing it to rest for a short time before wiping ensures effective cleaning without damaging the finish. For enhanced shine, a surface conditioner such as Countertop Magic may be used sparingly to revive colour depth and conceal minor scuffs.


To protect your LUXOR® surface from unnecessary wear, a few simple habits go a long way. Although LUXOR® provides excellent heat resistance compared to many conventional materials, placing extremely hot utensils directly on the surface may cause damage. Always use trivets or pads beneath hot cookware and heat-generating appliances. Similarly, strong chemicals such as oven cleaners, acetone, and paint removers should be kept away from the surface. If accidental contact occurs, rinse the area immediately with plenty of water to prevent discoloration or surface damage. For nail polish marks, only non-acetone removers should be used.

LUXOR® surfaces are engineered for long-term durability, but like any premium material, they should not be used as cutting surfaces. Knives may leave scratches, and heavy impact can cause chips or fractures, so cutting boards and careful handling are recommended. Normal signs of use such as minor abrasions or a softening of gloss on high-use areas are natural over time and are not considered manufacturing defects. The benefit of LUXOR® is that the surface can be professionally refinished, restored or repaired by a certified fabricator whenever needed, bringing it back to its original appearance.

For deeper scratches, chips or accidental damage, a LUXOR® certified fabricator or installer can perform repairs using the correct restoration techniques. Most repairs are straightforward, fast and cost-effective when handled by trained professionals.

Your LUXOR® surface is built to be lived with beautiful, functional and enduring. With thoughtful everyday care and simple maintenance habits, you can preserve its elegance and enjoy a premium surface experience for many years to come. For further assistance or detailed guidance, your LUXOR® dealer or installer will be happy to help, or you may visit us online at www.durlax.com.

CERTIFICATIONS



Disclaimer : The information contained herein is provided by DURLAX® Top Surface Ltd. and its subsidiaries and affiliates (collectively referred to as "DURLAX®") for information purpose only and should be used by individuals with technical experience and knowledge in the area. DURLAX® does not make any representation or warranties of the usefulness or expected result of the information, and does not assume any responsibility whatsoever related to use of the information. Exclusion of the implied warranties may not apply in certain jurisdictions.

Colors shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect an actual sample before ordering. Every effort has been made to ensure the accuracy of the information given. However, the company reserves the right to change the specifications without prior notice.

Actual products colour may vary from the images in the document.

Although every effort is made to ascertain that all the information provided in this catalogue is accurate before printing, errors may still happen. Please contact the local branch office/channel partner for updated information before placing orders. The Information contained in this catalogue is given in good faith. The Company takes no liability on account of any loss or damage either consequential or otherwise as a result of the information provided therein.