

HERONITEZTM

— LUXURY SOLID SURFACE —


Naturalic **COLLECTION**

The Heronitez collection is a tribute to the earth's natural artistry, capturing the essence of nature's boundless splendor.

Each solid surface is a canvas where the touch of nature breathes life into your space, inviting the tranquility of the outdoors into your abode.

Manufactured with German Technology

HERONITEZ[®]
— LUXURY SOLID SURFACE —




VENERO
WHITE

VW - 933

VENERO WHITE

VW - 933

Thickness



760 mm (2.5 ft)



1829 mm (6 ft)



2440 mm (8 ft)

HERONITEZ[®]
— LUXURY SOLID SURFACE —


STATUARIO
WHITE

SW - 931

STATUARIO WHITE

SW - 931


Thickness



760 mm (2.5 ft)



1829 mm (6 ft)



2440 mm (8 ft)

HERONITEZ[®]
— LUXURY SOLID SURFACE —


ALASKA
WHITE

AL - 925

ALASKA WHITE

AL - 925

Thickness



760 mm (2.5 ft)



1829 mm (6 ft)

2440 mm (8 ft)

HERONITEZ[®]
— LUXURY LIVING LIVING —


ALASKA
CREAM

AC - 926

ALASKA CREAM

AC - 926


Thickness



760 mm (2.5 ft)



1829 mm (6 ft)



2440 mm (8 ft)

HERONITEZ®
— LUXURY SURFACE SOLUTIONS —

TRAVERTINE
BEIDGE

TB - 930

TRAVERTINE BEIDGE


TB - 930

Thickness



760 mm (2.5 ft)

1829 mm (6 ft)



2440 mm (8 ft)

HERONITEZ[®]
— LUXURY SOLID SURFACE —


SIENA
BROWN

SB - 928

SIENA BROWN

SB - 928

Thickness



760 mm (2.5 ft)



1829 mm (6 ft)



2440 mm (8 ft)

HERONITEZ[®]
—LUXURY SOLID SURFACE—

**ALASKA
GREY**

GV-927

ALASKA GREY

GV-927


Thickness



760 mm (2.5 ft)



1829 mm (6 ft)



2440 mm (8 ft)

HERONITEZ[®]

— KILN BURNED —


COSMOS
BLACK

SW-932


COSMOS BLACK

SW-932

Thickness



760 mm (2.5 ft)



1829 mm (6 ft)

2440 mm (8 ft)

HERONITEZ[®]
— LAMINATED SURFACES —


TRAVERTINE
GREY

TG - 929


TRAVERTINE GREY

TG - 929

Thickness



760 mm (2.5 ft)



1829 mm (6 ft)

2440 mm (8 ft)



HERONITEZTM
— LUXURY SOLID SURFACE —

Terrazzo

Our homage to the mid-century era mosaics.
Vivid nature identical top surface patterns that
elevate any space.

HERONTEZ[®]

LUXURY SOLID SURFACE

TERRAZZO
BOLOGNA

TB - 951

TERRAZZO BOLOGNA

TB - 951


Thickness



760 mm (2.5 ft)



1829 mm (6 ft)



2440 mm (8 ft)

HERONITEZ[®]
— LUXURY SOLID SURFACE —

TERRAZZO
BLANCO


TL - 954

TERRAZZO BLANCO

TL - 954

Thickness

760 mm (2.5 ft)



1829 mm (6 ft)

2440 mm (8 ft)

HERONITEZ[®]
— LUXURY SOLID SURFACE —

TERRAZZO
DOMINO

TD - 953


TERRAZZO DOMINO

TD - 953


Thickness



760 mm (2.5 ft)



1829 mm (6 ft)



2440 mm (8 ft)

HERONTEZ®
— CANTIERI E SERVIZI —

TERRAZZO
VENEZIA

TV-955

TERRAZZO VENEZIA

TV - 955


Thickness



760 mm (2.5 ft)



1829 mm (6 ft)



2440 mm (8 ft)

HERONITEZ


TERRAZZO
TORINA

TT-956

TERRAZZO TORINA


TT - 956

Thickness



760 mm (2.5 ft)

1829 mm (6 ft)



2440 mm (8 ft)

HERONTTEZ®

TERRAZZO

RIVA

TR - 952

TERRAZZO RIVA

TR - 952


Thickness



760 mm (2.5 ft)


1829 mm (6 ft)

2440 mm (8 ft)



HERONITEZTM


LUXURY SOLID SURFACE



VENERO WHITE
VW - 933



STATUARIO WHITE
SW - 931



ALASKA WHITE
AL - 925



ALASKA CREAM
AC - 926




TRAVERTINE BEIDGE
TB - 930




SIENA BROWN
SB - 928



ALASKA GREY
AG - 927



COSMOS BLACK
SW - 932




TRAVERTINE GREY
TG - 929




TERRAZZO BOLOGNA
TB - 951



TERRAZZO DOMINO
TD - 953




TERRAZZO TORINA
TT - 956



TERRAZZO BLANCO
TL - 954



TERRAZZO VENEZIA
TV - 955



TERRAZZO RIVA
TR - 952

DURLAX[®]

TOP SURFACE LIMITED

DURLAX[®] TOP SURFACE LTD. (An ISO9001 and ISO14001 Certified Company)

Head Office: Mumbai, Maharashtra, India.

+91 022 61560000 | info@durlaxindia.com

Factory Address: Vapi, Gujarat. India.

durlax.official | Durlax | Durlax

TECHNICAL SPECIFICATIONS

100% HERONITEZ LUXURY SOLID SURFACE

PHYSICAL PROPERTIES

PROPERTY	TEST METHOD	UNIT	FUNCTION INDEX SIGN
Density	ASTM D-792A	am/cm?	1.7
Flexural Strength	ASTM	PSI	72D-79000
Water Absorption	ASTM D-696	%	0.023
Hardness Barcol	ASTM D-2583		60
Heat Expansion	ASTM D-696	(1*10-5 in/in/OF)	2.1
Ignifion Test	ASTM D-2863		38
Tensil Strength	ASTM D-638	PSI	6500
Elongation Atyield	ASTM D-638	%	0.2
Impact Resistance	ANSIZ124.6	8ft,0.5ib	
Wear Resistance	ASTM D-4060	g/1000cycl	0.05
Lustre Stable Resistance	NEMA LD3-3.3		Uninfluential
High Temp. Restance	NEMA LD3-3.6		Uninfluential
Boiling Water Resistance	NEMA LD3-3.5		Uninfluential
Stain Restance	ANSIZ124.6		Uninfluential
Chemical Resistance	ANSIZ124.6		Uninfluential
Fire Rating	DIN 4102-1	Class A1	

PRODUCT SPECIFICATIONS

THICKNESS		WIDTH		LENGTH	
mm	in	mm	in	mm	in
6	1/4	760	30	2440	96
12	1/2	760	30	2440/3660	96/144

*Terazzo series, customization available on special request *Actual products color may vary from the sample in the kit



CERTIFICATIONS



DURLAX® TOP SURFACE LTD. (An ISO9001 and ISO14001 Certified Company)

Head Office: Mumbai, Maharashtra, India.

+91 022 61560000 | info@durlaxindia.com

Factory Address: Vapi, Gujarat. India.

durlax.official | Durlax | Durlax