

LUXOR[®]

ACRYLIC UV SOLID SURFACE

LUXOR[®]

ACRYLIC UV SOLID SURFACE




Durlax Top Surface Ltd.

(An ISO 9001 and ISO 14001 Certified Company)

Address : Unit No 1601, 16th Floor,
Synergy Business Park Premises Coop Society Ltd,
Bhd. Virwani Industrial Estate Sahakarwadi Off. Vishweshwar Nagar Road,
Mumbai, Goregaon East, Maharashtra, India, 400063

Office : + 91 022-61560000
E-mail : info@durlaxindia.com

Factory Address : Vapi, Gujarat, INDIA

 [@Durlax](#)  [@durlax.official](#)  [www.durlax.com](#)

MANUFACTURED WITH GERMAN TECHNOLOGY



Design Your Dream

with our premium shades

Each LUXOR® shade is crafted to create refined, expressive and unforgettable interiors. From subtle undertones to bold statements, our curated palette brings sophistication and distinction to every project



Mood. Welcome to LUXOR®.

Discover a world where colour, craftsmanship and creativity transform spaces. LUXOR® Acrylic UV Solid Surfaces bring richness, depth and personality to interiors - reflecting your taste, your style and your vision.

Explore our uni-colour palette and experience how premium surfaces can elevate your space with timeless elegance.

LUXOR®
ACRYLIC UV SOLID SURFACE



At DURLAX®, innovation begins with imagination.

With a strong foundation of over 18 years of industry expertise, we have continuously advanced solid surface technology through research, design and manufacturing excellence.

Founded in 2010, DURLAX® introduced a patented production system for solid surface sheets setting new quality benchmarks. Today, we craft LUXOR® Acrylic Premium UV Solid Surfaces engineered for modern architecture and demanding applications.














Our state-of-the-art manufacturing facility ensures precision, consistency and a flawless finish bringing world-class surfaces to life.

LUXOR®
ACRYLIC UV SOLID SURFACE

LUXOR® have a well-built and spacious area for smooth production.














Shades of LUXOR®


| | | | |
|-----------------------------------|---|--|--|
| Whites Super White SW-119 |  | Crayons Toffee-Brown TB-104 |  |
| Whites I-White IW-118 |  | Crayons Red Hot RH-103 |  |
| Crayons Coffee-Bean CB-107 |  | Crayons Concrete Grey CG-149 |  |
| Crayons Glacier Ice GL-124 |  | Crayons Citrus Orange CO-905 |  |
| Crayons Jasmine-Green |  | Crayons California-Orange CO-153 |  |
| Crayons Marine-Blue MB-106 |  | Crayons Black Bird BB-119 |  |
| Crayons Nougat-Cream NG-201 |  | Crayons Steel ST-104 |  |
| Crayons Pista Mint PM-302 |  | Crayons Bone PM-302 |  |
| Crayons Spring Green SG-120 |  | Medi Blue Medi Blue MB-130 |  |
| Crayons Sunflower SF-121 |  | Neons Ruby MI-108 |  |

Shades of LUXOR®

| | | | |
|--------------------------------|---|--------------------------------|---|
| Neons Skylite SL-109 |  | Pebblon Grey PR-306 |  |
| Pebblon Abalone AB-137 |  | Pebblon Ice PI-001 |  |
| Pebblon Beige PB-101 |  | Pebblon Leche LE-133 |  |
| Pebblon Clay PE-305 |  | Pebblon Macchito G-111 |  |
| Pebblon Cocoa PC-112 |  | Pebblon Oat PO-038 |  |
| Pebblon Cream PM-307 |  | Pebblon Galaxy PG-161 |  |
| Pebblon Dove DV-158 |  | Pebblon Swan PS-703 |  |
| Pebblon Earl Grey EG-129 |  | Pebblon Savannah PBS-319 |  |
| Pebblon Golden PG-114 |  | Pebblon Spinel PS-123 |  |
| Pebblon Stone PB-304 |  | Pebblon White PW-113 |  |

Shades of LUXOR®

| | | | |
|---------------------------------------|---|----------------------------------|--|
| Pearl Amor AR-131 |  | Aspeon Mosaic White MW-906 |  |
| Pearl Glittering Black GB-147 |  | Aspeon Party PP-157 |  |
| Pearl Glittering Grey GG-148 |  | Aspeon Pepper AP-157 |  |
| Aspeon Aspeon-Dark |  | Aspeon Sand-Grey |  |
| Aspeon Aspeon-Vermillion AV-430 |  | | |
| Aspeon Beach AB-005 |  | | |
| Aspeon Clay AC-159 |  | | |
| Aspeon Rice Paper RP-122 |  | | |
| Aspeon Grey AG-016 |  | | |
| Aspeon Cream AC-015 |  | | |



Printed representation of colours may vary from actual samples :

Please view actual sample prior to selection.

Crayon and Neon series colors might show hairline seam.

Please check actual sample for selection.

WHITES

I-White

IW-118




CRAYONS

Sunflower


SF-121



Glacier Ice GL-124



Nougat Cream NG-201



Black Bird BB-119




Steel ST-104



Concrete Grey CG-149




Toffee Brown TB-104



Coffee Bean CB-107



Pista Mint PM-302



Citrus Orange CO-905



CRAYONS

Red Hot


RH-103




CRAYONS

Pista Mint

PM-302








NEONS

Ruby

MI-108





PEBBLON

Leche

LE-133




Dove DV-158



Cream PM-307



White PW-113



Earl Grey EG-129



Cocoa PC-112



Beige PB-101



Oat PO-038



Ice PI-001



Stone PB-304



Clay PE-305



Swan PA-703




Elevate your space.
Strengthen your future.



PEARL

Amor

AR-131




Futuristic Layers Redefined



PEARL

Glittering Black

GB-147




ASPEON

Party

PP-157




Surfaces Reimagined Beautifully







ASPEON

Cream

AC-015





Healthcare

- OT Wall Cladding
- OT Ceiling
- OT Door Jams
- Scrub Vanities
- Vanity Counters
- Baby Bath
- Nurses Counter
- Laboratory Tops
- Hygiene Surfaces
- Crash Guards
- Storage Racks



Why LUXOR[®] is Ideal for Healthcare Spaces?

Hygiene is paramount in medical environments, and LUXOR[®] surfaces deliver complete peace of mind. Being non-porous, seamless and germ-resistant, LUXOR[®] prevents bacteria from settling on walls, counters and ceilings. Its thermoformable nature allows smooth curves and uninterrupted surfaces ideal for OT cladding, scrub stations and clean rooms.

Impact-resistant, stain-proof and easy to maintain, LUXOR[®] remains pristine for years. Soft, calming colours like Mint Ice, Sky Blue and Vanilla also create a healing, welcoming atmosphere for patients.



LUXOR® MediScrub, Surgical Scrub Vanities.

Engineered for professional hygiene, MediScrub combines ergonomic form with seamless construction. A sloped base minimizes splashing, while the non-porous LUXOR® surface ensures quick cleaning and superior sanitation.

Available in wall-mounted and floor-mounted models, MediScrub supports complete customization of size, design and colour perfect for modern healthcare facilities.

District Hospital - Orissa



Pista Mint
PM-302

I-White
IW-118

District Hospital - Orissa

District Hospital - Orissa



I-White
IW-118



Exterior Extravaganza

LUXOR® enhances exteriors with beauty and endurance. Seamless, thermoformable and weather-resistant, it adapts easily to facades, railings, furniture, signage and more. With UV-stable colours and long-lasting performance, LUXOR® lets your exteriors make a bold, architectural statement.

IT Park - Kerala



Facades
 Showroom Fit-outs
 Outdoor Furniture
 Signages
 Planters
 Exterior Ceilings
 Balcony & Staircase Railings
 and many more

Exteriors

Tathasthu - Pune

I-White
IW-118



Nirlon, Goregaon - Mumbai

I-White
IW-118



Exterior that lasts

Designed to withstand sunlight, moisture and environmental conditions, LUXOR[®] retains its elegance and strength season after season.

Timeless Outdoor Finish



LUXOR® is an evolution in surface engineering crafted layer by layer for durability, precision and refined visual appeal. It transforms ordinary walls into expressive design elements that elevate both interiors and exteriors.



Strength Meets Sophistication.

With advanced layering technology, LUXOR® creates impactful surfaces that unite performance with artistry perfect for premium residential and commercial spaces.



I-White
IW-118

Built for Sophistication



International Petrol Pump - Bahrain



International Petrol Pump - Bahrain

Glacier Ice
GL-124



Pure Design
Expression

Residential

- Vanity
- Vanity Counter
- Wall Cladding
- Shower Cubical
- Bath Tub
- Vanity Furniture
- Door Jams & Window Sills
- Mirror Frames
- Washroom Partitions

LUXOR® brings practicality and beauty to everyday living.


Its seamless, non-porous surface resists stains, moisture and wear making it ideal for vanities, shower areas, wall cladding, window sills and cabinetry. Vibrant, consistent colours add refinement, while superior thermoformability supports smooth joints and custom shapes.



Futureproof Your Space



Residential Project - Pune



RESIDENTIAL

Smart Surface Living

- Kitchen Counter Top
- Back Splash with Coving
- Dado Wall
- Sink Bowls
- Kitchen Island Top
- Serving Counter
- Kitchen Shutters
- Chopping Board



LUXOR® enhances kitchens with hygienic, long-lasting elegance across countertops, backsplashes, covings, island tops, shutters and more. Everyday living becomes effortless with a surface designed for performance and beauty.

Designed
to endure





Black Bird
BB-124

Engineered for tomorrow

Glacier Ice
GL-124



Lift Lobby Cladding

Luggage Racks

Food Court Areas

Planters

Urinal Partition

Conference Table

Signage


Handrail

Designed for High-Impact Spaces

LUXOR® transforms commercial environments with its lively colours, smooth finish and unmatched functionality. It can be routed, carved, thermoformed and back-lit enabling designers to create limitless concepts with ease.

Strong, durable and low-maintenance, LUXOR® suits counters, signage, partitions, cladding, seating, check-in desks, display units and more bringing creativity and professionalism together.





Reception Desk

Wall Partition

Featured/Designer Wall

Column Cladding

Airline Check in Counters

Display Boxes

Seating's in the Lounge Area

Working Counters

Glacier Ice
GL-124



Mumbai Port



I-White
IW-118

Agartala Airport



Red Hot
RH-103

Mumbai Port



Goa Airport



Sikkim Muesem



Pebblon
Grey PR-306



Pebblon
White PW-113

Aspeon
Pepper AP-157

Hospitality

Where First Impressions Matter

Hospitals, hotels, restaurants and lounges demand surfaces that balance aesthetics with longevity.

LUXOR® delivers both its warm colours, seamless finish and premium texture create inviting spaces, while its durability ensures easy maintenance and long-term appeal.



Medi Blue
MI-130



Black Bird
BB-119



I-White
IW-118

TECHNICAL SPECIFICATIONS

LUXOR® ACRYLIC UV SOLID SURFACE

| PHYSICAL PROPERTIES | | | |
|-------------------------------|---------------------------|---|---|
| PROPERTY | TEST PROCEDURE | UNIT | TYPICAL RESULT |
| Density | ASTM D-792A | g/cm | 1.70-1.75 |
| Flexural Strength | ASTM D-790 | Psi min | 10000 |
| Water Absorption | DIN EN 438 PART 12 | % | <0.1% |
| Hardness Barcol | ASTM D-2583 | | 60-65 Barcol Impressor |
| Heat Expansion | ASTM D-696 | 1x10 ⁻⁵ in/in°F | 2.1 |
| Ignition Test | ASTM D-2863 | | 38 |
| Tensile Strength | ASTM D-638 | PSI | 6000-6500 |
| Elongation | ASTM D-638 | % | 0.4 |
| Ball Impact | NEMA LD | NO FRACTURE – 0.5 lb BALL 6mm slab – 36" drop 12mm slab – 144" drop | UNBREAKABLE |
| Wear Resistance (Abrasion) | ASTM D-4060 | g/1000cycl | 0.05 |
| Gloss (60 Gardner) | NEMA LD-3 | | Between 5-20 |
| High Temperature Resistance | NEMA LD-3 | | NO EFFECT |
| Boiling Water Resistance | NEMA LD-3 | | NO EFFECT |
| Stain Resistance | ANSI Z 124 | | PASS Rating 41 |
| Flame Retardant | DIN 4102-1 | | CLASS A1 |
| Resistance to Cigarette Burns | DIN 68861, Part 6, 11-'82 | | No Burning Or Visual Changes Shall observe |
| Fungi & Bacteria | ASTM G21 & G22 | | Does not support microbial growth |

| PRODUCT SPECIFICATIONS | | | | | |
|------------------------|----------------|------------|------------|-------------|-------------|
| THICKNESS (MM) | THICKNESS (IN) | WIDTH (MM) | WIDTH (IN) | LENGTH (MM) | LENGTH (IN) |
| 6 | 1/4 In | 760 | 30 | 2440 | 96 |
| 12 | 1/2 In | 760 | 30 | 2440/3660 | 96/144 |

Engineered for Performance

LUXOR® Acrylic UV Solid Surfaces are tested to global standards (ASTM, NEMA, DIN) to ensure long-lasting reliability.

With high flexural strength, superior hardness, low water absorption, excellent heat resistance, and outstanding dimensional stability, LUXOR® consistently outperforms conventional materials making it a trusted choice for architects and designers.

Standard thickness options across all colours are 6 mm and 12 mm. For special requirements, selected colours can be made available in thicknesses ranging from 4 mm to 20 mm, subject to MOQ.

LIVING WITH LUXOR®

Use and care guidelines

LUXOR® solid surfaces are crafted to deliver long-lasting beauty with remarkably simple care. Their non-porous, seamless construction ensures easy cleaning and exceptional durability, making them ideal for homes, hospitality environments, healthcare facilities and high-traffic commercial spaces. With just a little everyday maintenance, your LUXOR® surface will retain its clarity, elegance and smooth finish for years.

For daily upkeep, a soft damp cloth or sponge is all you need. Wiping the surface clean and drying it afterward prevents water spots, especially in regions with hard water. Most routine marks and kitchen stains can be removed effortlessly using an ammonia-based cleaner such as standard glass cleaning solutions or any non-abrasive spray designed for solid surfaces. Once cleaned, a gentle wipe with a soft cloth helps maintain the surface's natural sheen.

LUXOR® offers a wide selection of colours and finish options, each crafted to enhance different styles of interiors. These finishes may require slightly different care. Matt finishes, with their low-sheen appearance, are designed for active spaces and respond well to gentle circular cleaning using a mild abrasive cream and a soft sponge. Satin finishes, which offer a subtle, refined sheen, require a lighter touch to maintain their visual smoothness. Darker colours in both finishes tend to show signs of everyday use more readily than lighter shades and may occasionally require additional attention to restore uniformity.

Gloss finishes, with their reflective elegance, require special care to preserve their clarity. They should be cleaned only with non-abrasive products and soft sponges to prevent dulling or micro-scratches. If a stain persists, applying a gentle non-abrasive cleaner and allowing it to rest for a short time before wiping ensures effective cleaning without damaging the finish. For enhanced shine, a surface conditioner such as Countertop Magic may be used sparingly to revive colour depth and conceal minor scuffs.

To protect your LUXOR® surface from unnecessary wear, a few simple habits go a long way. Although LUXOR® provides excellent heat resistance compared to many conventional materials, placing extremely hot utensils directly on the surface may cause damage. Always use trivets or pads beneath hot cookware and heat-generating appliances. Similarly, strong chemicals such as oven cleaners, acetone, and paint removers should be kept away from the surface. If accidental contact occurs, rinse the area immediately with plenty of water to prevent discoloration or surface damage. For nail polish marks, only non-acetone removers should be used.

LUXOR® surfaces are engineered for long-term durability, but like any premium material, they should not be used as cutting surfaces. Knives may leave scratches, and heavy impact can cause chips or fractures, so cutting boards and careful handling are recommended. Normal signs of use such as minor abrasions or a softening of gloss on high-use areas are natural over time and are not considered manufacturing defects. The benefit of LUXOR® is that the surface can be professionally refinished, restored or repaired by a certified fabricator whenever needed, bringing it back to its original appearance.

For deeper scratches, chips or accidental damage, a LUXOR® certified fabricator or installer can perform repairs using the correct restoration techniques. Most repairs are straightforward, fast and cost-effective when handled by trained professionals.

Your LUXOR® surface is built to be lived with beautiful, functional and enduring. With thoughtful everyday care and simple maintenance habits, you can preserve its elegance and enjoy a premium surface experience for many years to come. For further assistance or detailed guidance, your LUXOR® dealer or installer will be happy to help, or you may visit us online at www.durlax.com.



USE AND CARE GUIDELINES



Clean Once A Month



Avoid Oil & Dust



Use Soft Sponge/Cloth



Residential & Commercial Use




Use Low PH Cleaner



Comes with 10 Year Warranty

LUXOR[®]
ACRYLIC UV SOLID SURFACE



Disclaimer : The information contained herein is provided by DURLAX[®] Top Surface Ltd. and its subsidiaries and affiliates (collectively referred to as “DURLAX[®]”) for information purpose only and should be used by individuals with technical experience and knowledge in the area. DURLAX[®] does not make any representation or warranties of the usefulness or expected result of the information, and does not assume any responsibility whatsoever related to use of the information. Exclusion of the implied warranties may not apply in certain jurisdictions.

Colors shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect an actual sample before ordering. Every effort has been made to ensure the accuracy of the information given. However, the company reserves the right to change the specifications without prior notice.

Actual products colour may vary from the images in the document.

Although every effort is made to ascertain that all the information provided in this catalogue is accurate before printing, errors may still happen. Please contact the local branch office/channel partner for updated information before placing orders. The Information contained in this catalogue is given in good faith. The Company takes no liability on account of any loss or damage either consequential or otherwise as a result of the information provided therein.

CERTIFICATIONS

