

aasa

TRUDOTM
PREMIUM SURFACES



High Quality Made In India

DURLAX[®]
TOP SURFACE LTD.

www.durlax.com

Durlax Top Surface Limited

Head Office : Mumbai, Maharashtra, India.

Unit No. 1601, 16th Floor, Synergy Business Park Premises Coop Society Ltd,
Bhd Virwani Industrial Estate, Sahakarwadi, Off Vishweshwar Nagar Road,
Goregaon (East), Mumbai, Maharashtra, India - 400 063.

Factory Address : Vapi 396193, Gujarat, India

+9122 6156 0000 / +91 91377 02122 | Info@durlaxindia.com CIN NO : L74999MH2010PLC202712

[durlax.official](#) | [Durlax](#) | [Durlax](#)

DURLAX[®]
TOP SURFACE LTD.

TRUDO[®]
PREMIUM SURFACES

aasaan
PREMIUM
COLLECTION

www.durlax.com

DURLAX[®]
TOP SURFACE LTD.


TRUDOTM
PREMIUM SURFACES

AN aasa
PREMIUM
COLLECTION

www.durlax.com






aasa

ma



TRUDO[™]
PREMIUM SURFACES

we bring to you a new fashion trend in contemporary homes, encompassing any piece of furniture with a shiny and highly reflective, super smooth, polished finish. It looks stunning. Imagine replicating this look with just about any type of furniture- from bathroom cabinets, to glossy living room furniture, to elegant fitted wardrobes in the bedroom. It creates a fabulous contemporary look in any modern house, apartment, showroom, office restaurants, receptions, conference room, retail counters etc. This unique finish creates a smooth, clean, contemporary and minimalist feel in any home. It brightens up any room by reflecting light instead of absorbing it. By day, as long as there is some sunlight entering the house, your new glossy surfaces will keep the house feeling light and energetic. By night, it reflects artificial light provided by overhead lights and lamps. This adds another dimension to flat or dull spaces, and can completely change the look of a room. So go on, use these laminates and create your own masterpieces.




ABOUT US



KITCHEN



FURNITURE




BATHROOM



COMMERCIAL



HEALTHCARE



RESTAURANTS




TRUDO™
PREMIUM SURFACES

AN **asa** PREMIUM COLLECTION


1MM THICKNESS

DURLAX®
TOP SURFACE LTD.


MATT & GLOSSY



1002 - SNOW WHITE




1004 - SIMPLY WHITE




1019 - ROMAN COLUMN



2002 - SNOW WHITE GL



2004 - SIMPLY WHITE GL



2019 - ROMAN COLUMN GL



0% PVC



FOOD STAIN PROOF



SCRATCH RESISTANT




ANTI YELLOW

01
02

Sheet Size : 1220mm x 2440mm (4ft x 8 ft) Thickness 1mm

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.

PREMIUM ASA DECO SHEET




TRUDO™
PREMIUM SURFACES

AN **asa** PREMIUM COLLECTION


1MM THICKNESS

DURLAX®
TOP SURFACE LTD.


MATT & GLOSSY




1001 - BAVARIAN CREAM




1006 - GREY GOOSE




1002 - BALLAD BLUE



2001 - BAVARIAN CREAM GL



2006 - GREY GOOSE GL



2002 - BALLAD BLUE GL



0% PVC



FOOD STAIN PROOF



SCRATCH RESISTANT



ANTI YELLOW

PREMIUM ASA DECO SHEET

03

04

Sheet Size : 1220mm x 2440mm (4ft x 8 ft) Thickness 1mm

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.




TRUDO™
PREMIUM SURFACES

AN **asa** PREMIUM COLLECTION


1MM THICKNESS

DURLAX®
TOP SURFACE LTB


MATT & GLOSSY




1039 - WHITETAIL




1014 - SAWDUST




1003 - CREAM BLUSH



2039 - WHITETAIL GL



2014 - SAWDUST GL



2003 - CREAM BLUSH GL



0% PVC



FOOD STAIN PROOF



SCRATCH RESISTANT



ANTI YELLOW

PREMIUM ASA DECO SHEET

05

06

Sheet Size : 1220mm x 2440mm (4ft x 8 ft) Thickness 1mm

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.




TRUDO™
PREMIUM SURFACES

AN **asa** PREMIUM COLLECTION


1MM THICKNESS

DURLAX®
TOP SURFACE LTB


MATT & GLOSSY




1004 - PEARL BLUSH




1010 - AGREEABLE GRAY




1036 - GREEK VILLA



2004 - PEARL BLUSH GL



2010 - AGREEABLE GRAY GL



2036 - GREEK VILLA GL



0% PVC



FOOD STAIN PROOF



SCRATCH RESISTANT



ANTI YELLOW

07
08

PREMIUM AASA DECO SHEET

Sheet Size : 1220mm x 2440mm (4ft x 8 ft) Thickness 1mm

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.



TRUDO™
PREMIUM SURFACES

AN **asa** PREMIUM COLLECTION

1MM THICKNESS

DURLAX®
TOP SURFACELTD


MATT & GLOSSY




1026 - VELVETY CHESTNUT




1025 - AGATE GREEN




1029 - TAME TEAL



2026 - VELVETY CHESTNUT
GL



2025 - AGATE GREEN GL



2029 - TAME TEAL GL



0% PVC



FOOD STAIN PROOF



SCRATCH RESISTANT



ANTI YELLOW


PREMIUM ASA DECO SHEET

09

10

Sheet Size : 1220mm x 2440mm (4ft x 8 ft) Thickness 1mm

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.




TRUDO[™]
PREMIUM SURFACES

AN **asa** PREMIUM COLLECTION


1MM THICKNESS

DURLAX[®]
TOP SURFACE LTD.


MATT & GLOSSY




1002 - SNOW WHITE




1003 - OFF WHITE




1004 - SIMPLY WHITE



1019 - ROMAN COLUMN



1001 - WHITE



1028 - BLACK



0% PVC



FOOD STAIN PROOF



SCRATCH RESISTANT



ANTI YELLOW

Sheet Size : 1220mm x 2440mm (4ft x 8 ft) Thickness 1mm

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.

PREMIUM AASA DECO SHEET




TRUDO™
PREMIUM SURFACES

AN **aasa** PREMIUM COLLECTION


1MM THICKNESS

DURLAX®
TOP SURFACE LTD


MATT & GLOSSY




1001 - WHITE




1005 - STERLING GREY




1007 - MOONLIGHT SILVER



1006 - GREY GOOSE



1009 - FROSTED ALLOY



1008 - MOON ROCK



0% PVC



FOOD STAIN PROOF



SCRATCH RESISTANT



ANTI YELLOW

PREMIUM AASA DECO SHEET

Sheet Size : 1220mm x 2440mm (4ft x 8 ft) Thickness 1mm

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.




TRUDOTM
PREMIUM SURFACES

AN **asa** PREMIUM COLLECTION

1MM THICKNESS

DURLAX[®]
TOP SURFACE LTD


MATT & GLOSSY




1005 - BRIDAL BLUSH




1036 - GREEK VILLA




1014 - SAWDUST



1012 - NUANCE



1011 - MINDFUL GREY



1010 - AGREEABLE GRAY



0% PVC



FOOD STAIN PROOF



SCRATCH RESISTANT




ANTI YELLOW

PREMIUM ASA DECO SHEET

Sheet Size : 1220mm x 2440mm (4ft x 8 ft) Thickness 1mm

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.




TRUDO™
PREMIUM SURFACES


AN **aasa** PREMIUM COLLECTION 1MM THICKNESS

DURLAX®
TOP SURFACE LTD.


MATT & GLOSSY




1018 - POLAR BEAR




1016 - FRAGILE BEAUTY




1019 - ROMAN COLUMN



1013 - SMOKEHOUSE



1004 - PEARL BLUSH



1017 - NOMADIC DESERT



0% PVC



FOOD STAIN PROOF



SCRATCH RESISTANT



ANTI YELLOW

PREMIUM AASA DECO SHEET

Sheet Size : 1220mm x 2440mm (4ft x 8 ft) Thickness 1mm

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.




TRUDO™
PREMIUM SURFACES

AN **asa** PREMIUM COLLECTION


1MM THICKNESS

MATT & GLOSSY


DURLAX®
TOP SURFACE LTD.




1015 - OYSTER WHITE




1035 - SMOKHOUSE




1002 - SNOW WHITE



1038 - IVOIRE



1037 - MEDICI IVORY



1034 - BLACK MAGIC



0% PVC



FOOD STAIN PROOF



SCRATCH RESISTANT



ANTI YELLOW

PREMIUM ASA DECO SHEET

19

20

Sheet Size : 1220mm x 2440mm (4ft x 8 ft) Thickness 1mm

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.



TRUDO™
PREMIUM SURFACES

AN **asa** PREMIUM COLLECTION

1MM THICKNESS

DURLAX®
TOP SURFACES LTD


MATT & GLOSSY



1025 - AGATE GREEN




1030 - RESTFUL



1029 - TAME TEAL



1022 - AQUASTONE



1024 - JASPER STONE



1023 - JASPER



0% PVC



FOOD STAIN PROOF



SCRATCH RESISTANT



ANTI YELLOW

PREMIUM ASA DECO SHEET

Sheet Size : 1220mm x 2440mm (4ft x 8 ft) Thickness 1mm

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.




TRUDO™
PREMIUM SURFACES

AN **asa** PREMIUM COLLECTION


1MM THICKNESS

MATT & GLOSSY


DURLAX®
TOP SURFACE LTB




1026 - VELVETY CHESTNUT




1032 - IBIS WHITE




1027 - SPUN SUGAR



1021 - SECRET COVE



1020 - SLEEPY BLUE



1031 - OPEN AIR



0% PVC



FOOD STAIN PROOF



SCRATCH RESISTANT



ANTI YELLOW

PREMIUM AASA DECO SHEET

23

24

Sheet Size : 1220mm x 2440mm (4ft x 8 ft) Thickness 1mm

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.




TRUDO™
PREMIUM SURFACES

AN **aasa** PREMIUM COLLECTION


1MM THICKNESS

DURLAX®
TOP SURFACE LTD.


SOLID metallic




5001 - SOFT NICKEL




5002 - PURE CHROME




5003 - LIQUID MERCURY



5004 - BRIGHT RHODIUM



5005 - SILK ALUMINUM



5006 - WARM PEWTER



0% PVC



FOOD STAIN PROOF



SCRATCH RESISTANT



ANTI YELLOW

PREMIUM AASA DECO SHEET

Sheet Size : 1220mm x 2440mm (4ft x 8 ft) Thickness 1mm

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.




TRUDO[™]
PREMIUM SURFACES

AN **aasa** PREMIUM COLLECTION


1MM THICKNESS

DURLAX[®]
TOP SURFACE LTD.


SOLID metallic




5007 - DARK SABLE




5008 - URBAN STEEL




5009 - DESERT CAMEL



5010 - CORAL SAND



5011 - LIGHT BIRCH



5012 - PLATINUM MIST



0% PVC



FOOD STAIN PROOF



SCRATCH RESISTANT



ANTI YELLOW


27

28

PREMIUM AASA DECO SHEET

Sheet Size : 1220mm x 2440mm (4ft x 8 ft) Thickness 1mm

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.




TRUDO™
PREMIUM SURFACES


AN **aasa** PREMIUM COLLECTION 1MM THICKNESS

DURLAX®
TOP SURFACE LTD.


BAMBOO TEXTURE




3001 - SAND RIDGE



3002 - IVORY RIDGE



3003 - MIST RIDGE



3004 - PEARL RIDGE

PREMIUM AASA DECO SHEET



0% PVC



FOOD STAIN PROOF



SCRATCH RESISTANT



ANTI YELLOW

Sheet Size : 1220mm x 2440mm (4ft x 8 ft) Thickness 1mm

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.



TRUDO[™]
PREMIUM SURFACES

AN **aasa** PREMIUM COLLECTION 1MM THICKNESS

DURLAX[®]
TOP SURFACE LTD.

BAMBOO TEXTURE




3005 - ASH GREY



3006 - PEARL GREY



3007 - BEIGE



3008 - BEACH



0% PVC



FOOD STAIN PROOF



SCRATCH RESISTANT




ANTI YELLOW

Sheet Size : 1220mm x 2440mm (4ft x 8 ft) Thickness 1mm

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.

PREMIUM AASA DECO SHEET



TRUDOTM
PREMIUM SURFACES


AN **aasa** PREMIUM COLLECTION 1MM THICKNESS

DURLAX[®]
TOP SURFACE LTD.


FLUTED TEXTURE




3009 - SAND CREST



3010 - IVORY CREST



3011 - DUNE CREST



3012 - CLAY CREST



0% PVC



FOOD STAIN PROOF



SCRATCH RESISTANT



ANTI YELLOW

Sheet Size : 1220mm x 2440mm (4ft x 8 ft) Thickness 1mm

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.




TRUDO™
PREMIUM SURFACES


AN **aasa** PREMIUM COLLECTION 1MM THICKNESS

DURLAX®
TOP SURFACE LTB


FLUTED TEXTURE



3013 - MOCHA CREST



3014 - LINEN CREST



3015 - SILK GREY



3016 - ASH CREST



0% PVC



FOOD STAIN PROOF




SCRATCH RESISTANT



ANTI YELLOW

Sheet Size : 1220mm x 2440mm (4ft x 8 ft) Thickness 1mm

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.




TRUDO™
PREMIUM SURFACES

AN **aasa** PREMIUM COLLECTION

1MM THICKNESS

DURLAX®
TOP SURFACE LTB


JUTE TEXTURE



3017 - SAND WEAVE



3018 - IVORY WEAVE



3019 - PEARL WEAVE



3020 - GREY WEAVE



0% PVC



FOOD STAIN PROOF



SCRATCH RESISTANT



ANTI YELLOW

Sheet Size : 1220mm x 2440mm (4ft x 8 ft) Thickness 1mm

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.

PREMIUM AASA DECO SHEET




TRUDOTM
PREMIUM SURFACES


AN **asa** PREMIUM COLLECTION 1MM THICKNESS

DURLAX[®]
TOP SURFACE LTD.

FABRIC TEXTURE




3021 - CLASSIC IVORY



3022 - WARM GREY



3023 - WARM BEIGE



3024 - LINEN GREY

PREMIUM ASA DECO SHEET



0% PVC



FOOD STAIN PROOF



SCRATCH RESISTANT



ANTI YELLOW

Sheet Size : 1220mm x 2440mm (4ft x 8 ft) Thickness 1mm

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.




TRUDO[™]
PREMIUM SURFACES

AN **aasa** PREMIUM COLLECTION

1MM THICKNESS

DURLAX[®]
TOP SURFACE LTD

WOODEN



4001 - NATURAL OAK



4002 - HONEY OAK



0% PVC



FOOD STAIN PROOF



SCRATCH RESISTANT



ANTI YELLOW

Sheet Size : 1220mm x 2440mm (4ft x 8 ft) Thickness 1mm

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.




TRUDO[™]
PREMIUM SURFACES

AN **aasa** PREMIUM COLLECTION


1MM THICKNESS

DURLAX[®]
TOP SURFACE LTB

WOODEN



4003 - WALNUT OAK



4004 - GOLDEN OAK

PREMIUM AASA DECO SHEET



0% PVC



FOOD STAIN PROOF



SCRATCH RESISTANT



ANTI YELLOW

Sheet Size : 1220mm x 2440mm (4ft x 8 ft) Thickness 1mm

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.



TRUDO™
PREMIUM SURFACES

AN **asa** PREMIUM COLLECTION

1MM THICKNESS

DURLAX®
TOP SURFACE LTD

WOODEN



4005 - SMOKE OAK



4006 - DESERT OAK

PREMIUM ASA DECO SHEET



0% PVC



FOOD STAIN PROOF



SCRATCH RESISTANT



ANTI YELLOW

Sheet Size : 1220mm x 2440mm (4ft x 8 ft) Thickness 1mm

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.



TRUDO[™]
PREMIUM SURFACES

AN **aasa** PREMIUM COLLECTION

1MM THICKNESS

DURLAX[®]
TOP SURFACE LTD.

WOODEN



4007 - FROST OAK



4008 - SILVER OAK

PREMIUM AASA DECO SHEET



0% PVC



FOOD STAIN PROOF



SCRATCH RESISTANT



ANTI YELLOW

Sheet Size : 1220mm x 2440mm (4ft x 8 ft) Thickness 1mm

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.

UV Stability / Weather Resistance

Free from all UV Stabilizer's which addresses environment issue's. Always ensure easy coloring and show's mechanical properties in everywhere. Elastomer keep its properties at low temperature, remedying plastic resin's shortcomings.

Chemical Resistance

It is highly solvent-resistant. It can be applied to a variety of purposes.

GENERAL USE & CARE GUIDE:



DURLAX decosheet's are designed for easy maintenance and durability. Follow these guidelines for optimal performance:

1. Stain Removal: for stubborn stains, use mild household glass cleaners like Colin. Gently wipe the surface with a non-abrasive cloth.
2. Avoid Abrasive Cleaners: Refrain from using abrasive liquid cleaners, bleaches, or solvents, as they may harm the deco sheet surface. Clean with water and a non-abrasive cloth.
3. Surface Recommendation: Glossy surface's are best suited for vertical applications.
4. Thinner Usage: Do not apply thinner to deco sheets.


INSTALLATION INSTRUCTIONS:

1. Clean the dust particles from the surface of the substrate (plywood, MDF, chipboard) with a cloth, soft brush, sponge or sandpaper.
2. Apply the adhesive evenly with a brush, roller or adhesive spray on both the deco sheet and the substrate (plywood, MDF, chipboard).
3. When pressing on the deco sheet base (plywood, MDF, chipboard), use a soft-pressure roller or a normal pressing technique.


- Pressing must be done from the centre of the panel and moved to the sideline and corners of the panel
4. Make sure the laminate is sufficiently pressed for almost 24-30 hours to reach full bond strength.



DURLAX Full Body Core
(Top to bottom single colour material)



TTCR Technology



Zero Matt Finish
(Titaniumdioxid-Tungsten carbidroller)

TRUDOTM
PREMIUM SURFACES

AN **aasa**
PREMIUM COLLECTION

1MM THICKNESS

DURLAX[®]
TOP SURFACE LTD.

OUTSTANDING WEATHER PROOF DURABILITY

DURLAX HAS OUTSTANDING WEATHER-PROOF DURABILITY THAN OTHER RESINS.

	DURLAX	PVC	ACRYLIC	UV
Before	DURLAX - STD	PVC - STD	POLY - STD	UV - STD
After (300 hr)	DURLAX - 300 hr E=2.5	PVC 300 hr	POLY - 300 hr E=3.0	UV - 300 hr E= 10.0

	DURLAX	ACRYLIC
Pencil Hardness	HB	HB
Rockwell Hardness	93	87

	ACRYLIC	UV	PVC	DURLAX
Eco-Friendly	X	X	X	✓
Weather Resistance	X	X	✓	✓
Smoothness	X	X	✓	✓
2nd Processability	X	X	✓	✓
A/S Availability	X	X	✓	✓
Heat Resistance	X	X	X	✓

LIMITED WARRANTY:

DURLAX Products undergo rigorous testing to ensure they are reasonably free of defects. When used and fabricated correctly, they will comply with applicable manufacturing specifications within realistic deviations. Prior to installation, we advise customers to thoroughly inspect products. The warranty excludes defects or non-compliance due to:

- Improper handling, transportation, or storage of deco sheet's
- Incorrect installation or unintended usage
- Lack of maintenance or exposure to high temperatures
- Unauthorized alterations or outdoor applications
- Exchanges are provided under reasonable circumstances.
- This brochure serves as a presentation guide, with actual colors potentially differing.

Why Polymer Laminates are the Best Choice compare to other laminates?