



Made In India

DURLAX[®]
T O P S U R F A C E L T D

www.durlax.com

Durlax Top Surface Limited

📍 Head Office : Mumbai, Maharashtra, India.

Unit No. 1601, 16th Floor, Synergy Business Park Premises Coop Society Ltd,
Bhd Virwani Industrial Estate, Sahakarwadi, Off Vishweshwar Nagar Road,
Goregaon (East), Mumbai, Maharashtra, India - 400 063.

☎ +91 22 6156 0000 / +91 91377 02122 ✉ Info@durlaxindia.com CIN NO : L74999MH2010PLC202712

📷 [trudo.official](#) 📘 [Durlax](#) 📺 [Durlax](#)

DURLAX[®]
T O P S U R F A C E L T D

TRUDO[™]
P R E M I U M S U R F A C E S

P R E M I U M C O L L E C T I O N

DURLAX[®]
T O P S U R F A C E L T D

TRUDO[™]
P R E M I U M S U R F A C E S

www.durlax.com

P R E M I U M C O L L E C T I O N

innovation

design

who
are
we

We are dedicated to creating premium AASA laminates that combine contemporary aesthetics with lasting performance. Designed to meet the evolving needs of modern interiors, our products offer exceptional gloss, rich colours, and superior durability. With a focus on quality, innovation, and craftsmanship, we deliver surfaces that enhance residential, commercial, and architectural spaces alike. Our acrylic laminates are engineered for elegance, easy maintenance, and long-lasting appeal, making them a preferred choice for designers, architects, and homeowners.

sophistication

DURLAX[®]
TOP SURFACE LTD.

perfection

www.durlax.com

WOODEN Spectrum



Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

1MM THICKNESS AN AASA PREMIUM COLLECTION

TRUDO™ PREMIUM SURFACES **DURLAX**® TOP SURFACE LTD



TR - 1501



TR - 1502

PVC
0% PVC
LAMINATE

ANTI
YELLOW

EXTREMELY
FLEXIBLE

SUPER MATT
EFFECT

ANTI
FINGERPRINT

EASY TO
CLEAN



www.durlax.com

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.

WOODEN Spectrum

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)



1MM THICKNESS AN AASA PREMIUM COLLECTION

TRUDOTM DURLAX[®]
PREMIUM SURFACES TOP SURFACE LTD



TR - 1503



Elevate
Your
Interiors

www.durlax.com

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.

PVC
0% PVC
LAMINATE

ANTI
YELLOW

EXTREMELY
FLEXIBLE

SUPER MATT
EFFECT

ANTI
FINGERPRINT

EASY TO
CLEAN



TR - 1504

WOODEN Spectrum



Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

1MM THICKNESS AN AASA PREMIUM COLLECTION



TR - 1505 ❄❄



Design
Beyond
Limits

www.durlax.com

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.

TRUDO™
PREMIUM SURFACES

DURLAX®
TOP SURFACE LTD

PVC
0% PVC
LAMINATE

**ANTI
YELLOW**

**EXTREMELY
FLEXIBLE**

**SUPER MATT
EFFECT**

**ANTI
FINGERPRINT**

**EASY TO
CLEAN**



TR - 1506 ❄❄

WOODEN Spectrum



Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

1MM THICKNESS AN AASA PREMIUM COLLECTION

TRUDO™ PREMIUM SURFACES | **DURLAX**® TOP SURFACE LTD



TR - 1507



Curate
Your
Comfort

PVC
0% PVC
LAMINATE

ANTI
YELLOW

EXTREMELY
FLEXIBLE

SUPER MATT
EFFECT

ANTI
FINGERPRINT

EASY TO
CLEAN



TR - 1508

www.durlax.com

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.

WOODEN Spectrum

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)



1MM THICKNESS AN AASA PREMIUM COLLECTION

TRUDOTM DURLAX[®]
PREMIUM SURFACES TOP SURFACE LTD



TR - 1509 ❖❖



TR - 1510 ❖❖

PVC
0% PVC LAMINATE

ANTI YELLOW

EXTREMELY FLEXIBLE

SUPER MATT EFFECT

ANTI FINGERPRINT

EASY TO CLEAN



Perfect Your Spaces ”

www.durlax.com

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.

FLUTED TEXTURE Spectrum




Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

1MM THICKNESS AN AASA PREMIUM COLLECTION


TRUDOTM **DURLAX**[®]
PREMIUM SURFACES TOP SURFACE LTD




TR - 1303



TR - 1304



TR - 1305




TR - 1306

www.durlax.com

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.


FLUTED TEXTURE Spectrum

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)




1MM THICKNESS AN AASA PREMIUM COLLECTION


TRUDO™ PREMIUM SURFACES **DURLAX**® TOP SURFACE LTD




TR - 1407



TR - 1408



TR - 1409



TR - 1410

www.durlax.com

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.


BAMBOO TEXTURE Spectrum




Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

1MM THICKNESS AN AASA PREMIUM COLLECTION

TRUDO™ PREMIUM SURFACES | **DURLAX**® TOP SURFACE LTD




TR - 1301 ❖



TR - 1302 ❖



TR - 1401 ❖❖



TR - 1402 ❖❖

www.durlax.com

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.

BAMBOO TEXTURE Spectrum




Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

1MM THICKNESS AN AASA PREMIUM COLLECTION

TRUDO™
PREMIUM SURFACES

DURLAX®
TOP SURFACE LTD



TR - 1403 ❖❖



TR - 1404 ❖❖



TR - 1405 ❖❖



TR - 1406 ❖❖

www.durlax.com

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.

FABRIC TEXTURE Spectrum




Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

1MM THICKNESS AN AASA PREMIUM COLLECTION

TRUDO™ PREMIUM SURFACES | **DURLAX**® TOP SURFACE LTD



TR - 1411 ❖❖



TR - 1412 ❖❖



TR - 1413 ❖❖



TR - 1414 ❖❖

www.durlax.com

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.

JUTE+TEXTURE Spectrum

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

1MM THICKNESS AN AASA PREMIUM COLLECTION


TRUDO™ PREMIUM SURFACES | **DURLAX**® TOP SURFACE LTD



TR - 1307 ❖



TR - 1308 ❖



TR - 1309 ❖



TR - 1310 ❖

www.durlax.com

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.


AUTO METALLIC Spectrum

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)




1MM THICKNESS AN AASA PREMIUM COLLECTION

TRUDO™ PREMIUM SURFACES | **DURLAX**® TOP SURFACE LTD



TR - 1201 ❖-MT

SABLE




TR - 1202 ❖-MT

KEYSTONE




TR- 1203 ❖-MT

CAMEL




TR - 1204 ❖-MT

CORAL BEIGE



TR - 1205 ❖-MT

BIRCH



TR - 1206 ❖-MT

PLATINUM BEIGE

www.durlax.com

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.

AUTO METALLIC Spectrum

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)




1MM THICKNESS AN AASA PREMIUM COLLECTION

TRUDOTM **DURLAX**[®]
PREMIUM SURFACES TOP SURFACE LTD



TR - 1207 -MT

NICKEL




TR - 1208 -MT

CHROME




TR - 1209 -MT

MERCURY




TR - 1210 -MT

RHODIUM



TR - 1211 -MT

ALUMINUM



TR - 1212 -MT

PEWTER

www.durlax.com

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.

MATT & GLOSSY Spectrum



Sheet Size : 1220mm x 2440mm (4ft x 8 ft)


1MM THICKNESS AN AASA PREMIUM COLLECTION

TRUDOTM
PREMIUM SURFACES


DURLAX[®]
TOP SURFACE LTD



TR - 1002-MT SERENITY WHITE




TR - 1004-MT COFFEE CREAMER




TR - 1019-MT PEARL BLUSH



TR - 1102-GL SERENITY WHITE



TR - 1104-GL COFFEE CREAMER



TR - 1119-GL PEARL BLUSH

www.durlax.com

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.


MATT & GLOSSY Spectrum

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)




1MM THICKNESS AN AASA PREMIUM COLLECTION


TRUDO™ PREMIUM SURFACES | **DURLAX**® TOP SURFACE LTD




TR - 1039-MT CREAM BLUSH




TR - 1014-MT TOASTED




TR - 1040-MT BISQUE



TR - 1139-GL CREAM BLUSH



TR - 1114-GL TOASTED



TR - 1140-GL BISQUE

www.durlax.com

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.

MATT & GLOSSY Spectrum




Sheet Size : 1220mm x 2440mm (4ft x 8 ft)


1MM THICKNESS AN AASA PREMIUM COLLECTION

TRUDO™
PREMIUM SURFACES


DURLAX®
TOP SURFACE LTD




TR - 1042-MT BAVARIAN CREAM




TR - 1006-MT BALLAD BLUE




TR - 1041-MT ILLUSION BLUE



TR - 1142-GL BAVARIAN CREAM



TR - 1106-GL BALLAD BLUE



TR - 1141-GL ILLUSION BLUE

www.durlax.com

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.


MATT & GLOSSY Spectrum




Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

1MM THICKNESS AN AASA PREMIUM COLLECTION


TRUDOTM **DURLAX**[®]
PREMIUM SURFACES TOP SURFACE LTD




TR - 1043-MT CLASSIC BEIGE




TR - 1010-MT TROUT




TR - 1036-MT BRIDAL BLUSH



TR - 1143-GL CLASSIC BEIGE



TR - 1110-GL TROUT



TR - 1136-GL BRIDAL BLUSH

www.durlax.com

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.

MATT & GLOSSY Spectrum



Sheet Size : 1220mm x 2440mm (4ft x 8 ft)


1MM THICKNESS AN AASA PREMIUM COLLECTION

TRUDO™ PREMIUM SURFACES | **DURLAX**® TOP SURFACE LTD




TR - 1026-MT

SPHINX



TR - 1025-MT

BERYL GREEN




TR - 1029-MT

OPAL GREEN




TR - 1126-GL

SPHINX



TR - 1125-GL

BERYL GREEN



TR - 1129-GL

OPAL GREEN

www.durlax.com

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.


MATT Spectrum

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)




1MM THICKNESS AN AASA PREMIUM COLLECTION

TRUDO™ PREMIUM SURFACES | **DURLAX**® TOP SURFACE LTD




TR - 1002-MT SERENITY WHITE




TR - 1003-MT ORCHID WHITE



TR - 1004-MT COFFEE CREAMER



TR - 1019-MT PEARL BLUSH



TR - 1001-MT ILLUSION WHITE



TR - 1028-MT GRANITE BLACK

www.durlax.com

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.

MATT Spectrum


Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

1MM THICKNESS AN AASA PREMIUM COLLECTION


TRUDOTM **DURLAX**[®]
PREMIUM SURFACES TOP SURFACE LTD




TR - 1005-MT BALLAD GREY




TR - 1001-MT ILLUSION WHITE



TR - 1007-MT ILLUSION BLUE



TR - 1006-MT BALLAD BLUE



TR - 1009-MT PEARL GREY



TR - 1008-MT MISTY GREY

www.durlax.com

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.


MATT Spectrum




Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

1MM THICKNESS AN AASA PREMIUM COLLECTION


TRUDOTM **DURLAX**[®]
PREMIUM SURFACES TOP SURFACE LTD




TR - 1044 -MT AESTHETIC GREY



TR - 1036-MT BRIDAL BLUSH




TR - 1014-MT TOASTED



TR - 1012-MT SAND DOLLAR



TR - 1011-MT PALOMA



TR - 1010-MT TROUT

www.durlax.com

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.

MATT Spectrum


Sheet Size : 1220mm x 2440mm (4ft x 8 ft)



1MM THICKNESS AN AASA PREMIUM COLLECTION


TRUDO™
PREMIUM SURFACES

DURLAX®
TOP SURFACE LTD




TR - 1018-MT

CREAM BLUSH



TR - 1016-MT

BISQUE




TR - 1037-MT

CORN SILK




TR -1013-MT

GREIGE



TR - 1015-MT

CLASSIC BEIGE



TR - 1017-MT

APRICOT BLUSH

www.durlax.com

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.


MATT Spectrum



Sheet Size: 1220mm x 2440mm (4ft x 8 ft)

1MM THICKNESS AN AASA PREMIUM COLLECTION

TRUDO™ PREMIUM SURFACES | **DURLAX**® TOP SURFACE LTD




TR - 1038-MT WARM TAUPE




TR - 1035-MT ROSY BROWN




TR - 1034-MT SADDLE BROWN



TR - 1042-MT BAVARIAN CREAM



TR - 1032-MT SCALLOP SHELL



TR - 1027-MT ROSE QUARTZ

www.durlax.com

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.

MATT Spectrum



Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

1MM THICKNESS AN AASA PREMIUM COLLECTION

TRUDO™ PREMIUM SURFACES | **DURLAX**® TOP SURFACE LTD




TR - 1030-MT

SMOKE GREEN



TR - 1024-MT

TOURMALINE




TR - 1023-MT

ARUBA GREEN




TR - 1021-MT

BALLAD BLUE



TR - 1020-MT

CRYSTAL BLUE



TR - 1031-MT

BLUE TINT


www.durlax.com

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.

Thickness : 1mm (± 10%) (Same as sample use in brochure)

Available in Size : 1220mm x 2440mm (4 Feet x 8 Feet)

Technical Features



1mm THICKNESS



HIGH GRADE
SCRATCH RESISTANCE



ANTI FINGER PRINT




SATIN SMOOTH
FINISH



UV
PROTECTED



BORER & TERMITE
PROOF




NO CRACK




EASILY
BENDABLE

PANEL STRUCTURE




Protective Film
UV Matt Layer
(TTCR Technology)
TRUDO AASA Full Body Core
Primer Coating



TRUDO AASA Full Body Core
(Top to bottom single colour material)

TTCR Technology



Zero Matt Finish
(Titanium and tungsten carbide roller)



1MM THICKNESS AN **AASA** PREMIUM COLLECTION

TRUDO™
PREMIUM SURFACES

DURLAX®
TOP SURFACE LTD

UV Stability / Weather Resistance

Free from all UV Stabilizer's which addresses environment issue. Always ensure easy colouring and show mechanical properties everywhere. Elastomer keep its properties at low temperature, remedying plastic resin's shortcomings.

Chemical Resistance

It is highly solvent-resistant. It can be applied to a variety of purposes.

GENERAL USE & CARE GUIDE:

- DURLAX TRUDO AASA laminate sheets are designed for easy maintenance and durability. Follow these guidelines for optimal performance:
1. Stain Removal: For stubborn stains, use mild household glass cleaners like Colin. Gently wipe the surface with a non-abrasive cloth.
 2. Avoid Abrasive Cleaners: Refrain from using abrasive liquid cleaners, bleaches, or solvents, as they may harm the laminate sheet surface. Clean with water and a non-abrasive cloth.
 3. Surface Recommendation: Glossy surfaces are best suited for vertical applications.
 4. Thinner Usage: Do not apply thinner to laminate sheets.

INSTALLATION INSTRUCTIONS:

1. Clean the dust particles from the surface of the substrate (plywood, MDF, chipboard) with a cloth, soft brush, sponge or sandpaper.
2. Apply the adhesive evenly with a brush, roller or adhesive spray on both the laminate sheet and the substrate (plywood, MDF, chipboard).
3. When pressing on the laminate sheet base (plywood, MDF, chipboard), use a soft-pressure roller or a normal pressing technique. Pressing must be done from the centre of the panel and moved to the sideline and corners of the panel.

TECHNICAL SPECIFICATION

	TRUDO AASA	PVC	ACRYLIC	UV
Before	TRUDO AASA - STD	PVC - STD	POLY - STD	UV - STD
AFTER (300 HR)	TRUDO 300 HR E=2.5	PVC 300 HR	POLY 300 HR E=3.0	UV 300 HR E= 10.0

	TRUDO AASA	ACRYLIC
PENCIL HARDNESS	HB	HB
ROCKWELL HARDNESS	93	87

	ACRYLIC	UV	PVC	TRUDO AASA
ECO-FRIENDLY	x	x	x	✓
WEATHER RESISTANCE	x	x	✓	✓
SMOOTHNESS	x	x	✓	✓
2ND PROCESSABILITY	x	x	✓	✓
A/S AVAILABILITY	x	x	✓	✓
HEAT RESISTANCE	x	x	x	✓

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.