



Made In India

**DURLAX**<sup>®</sup>  
TOP SURFACE LTD

[www.durlax.com](http://www.durlax.com)

Durlax Top Surface Limited

📍 Head Office : Mumbai, Maharashtra, India.

Unit No. 1601, 16th Floor, Synergy Business Park Premises Coop Society Ltd,  
Bhd Virwani Industrial Estate, Sahakarwadi, Off Vishweshwar Nagar Road,  
Goregaon (East), Mumbai, Maharashtra, India - 400 063.

☎ +91 22 6156 0000 / +91 91377 02122 ✉ [Info@durlaxindia.com](mailto:Info@durlaxindia.com) CIN NO : L74999MH2010PLC202712

📱 [trudo.official](#) 📘 [Durlax](#) 📺 [Durlax](#)

**DURLAX**<sup>®</sup>  
TOP SURFACE LTD

**TRUDO**<sup>™</sup>  
PREMIUM SURFACES

PREMIUM COLLECTION

**DURLAX**<sup>®</sup>  
TOP SURFACE LTD

**TRUDO**<sup>™</sup>  
PREMIUM SURFACES

[www.durlax.com](http://www.durlax.com)

PREMIUM COLLECTION

innovation

design

perfection

**DURLAX**<sup>®</sup>  
TOP SURFACE LTD

who  
are  
**we**

We are dedicated to creating premium AASA laminates that combine contemporary aesthetics with lasting performance. Designed to meet the evolving needs of modern interiors, our products offer exceptional gloss, rich colours, and superior durability. With a focus on quality, innovation, and craftsmanship, we deliver surfaces that enhance residential, commercial, and architectural spaces alike. Our acrylic laminates are engineered for elegance, easy maintenance, and long-lasting appeal, making them a preferred choice for designers, architects, and homeowners.

sophistication

[www.durlax.com](http://www.durlax.com)

# WOODEN Spectrum




Sheet Size : 1220mm x 2440mm ( 4ft x 8 ft)

**1MM** THICKNESS AN AASA PREMIUM COLLECTION

**TRUDO**<sup>TM</sup>  
PREMIUM SURFACES



TR - 1501



TR - 1502

PVC  
0% PVC LAMINATE

ANTI YELLOW

EXTREMELY FLEXIBLE

SUPER MATT EFFECT

ANTI FINGERPRINT

EASY TO CLEAN



[www.durlax.com](http://www.durlax.com)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.

# WOODEN Spectrum

Sheet Size : 1220mm x 2440mm ( 4ft x 8 ft)




**1**MM THICKNESS AN AASA PREMIUM COLLECTION

**TRUDO**™ PREMIUM SURFACES | **DURLAX**® TOP SURFACE LTD



TR - 1503



TR - 1504

PVC  
0% PVC LAMINATE

ANTI YELLOW

EXTREMELY FLEXIBLE

SUPER MATT EFFECT

ANTI FINGERPRINT

EASY TO CLEAN



Elevate  
Your  
Interiors

[www.durlax.com](http://www.durlax.com)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.

# WOODEN Spectrum

Sheet Size : 1220mm x 2440mm ( 4ft x 8 ft)




**1**MM THICKNESS AN AASA PREMIUM COLLECTION

**TRUDO**™ PREMIUM SURFACES | **DURLAX**® TOP SURFACE LTD



TR - 1505



TR - 1506



Design Beyond Limits

[www.durlax.com](http://www.durlax.com)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.

# WOODEN Spectrum



Sheet Size : 1220mm x 2440mm ( 4ft x 8 ft)

**1**MM THICKNESS AN AASA PREMIUM COLLECTION

**TRUDO**™ PREMIUM SURFACES | **DURLAX**® TOP SURFACE LTD



TR - 1507 ♻️



Curate  
Your  
Comfort

[www.durlax.com](http://www.durlax.com)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.



0% PVC LAMINATE



ANTI YELLOW




EXTREMELY FLEXIBLE



SUPER MATT EFFECT



ANTI FINGERPRINT



EASY TO CLEAN



TR - 1508 ♻️

# WOODEN Spectrum

Sheet Size : 1220mm x 2440mm ( 4ft x 8 ft)



**1**MM THICKNESS AN AASA PREMIUM COLLECTION

**TRUDO**™ PREMIUM SURFACES | **DURLAX**® TOP SURFACE LTD



TR - 1509



TR - 1510

PVC  
0% PVC LAMINATE

ANTI YELLOW

EXTREMELY FLEXIBLE

SUPER MATT EFFECT

ANTI FINGERPRINT

EASY TO CLEAN



Perfect  
Your Spaces

[www.durlax.com](http://www.durlax.com)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.


# FLUTED TEXTURE Spectrum




Sheet Size : 1220mm x 2440mm ( 4ft x 8 ft)

**1**MM THICKNESS AN AASA PREMIUM COLLECTION


**TRUDO**™ PREMIUM SURFACES | **DURLAX**® TOP SURFACE LTD




TR - 1303



TR - 1304



TR - 1305




TR - 1306

[www.durlax.com](http://www.durlax.com)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.


# FLUTED TEXTURE Spectrum

Sheet Size : 1220mm x 2440mm ( 4ft x 8 ft)




**1**MM THICKNESS AN AASA PREMIUM COLLECTION


**TRUDO**™ PREMIUM SURFACES | **DURLAX**® TOP SURFACE LTD




TR - 1407



TR - 1408



TR - 1409



TR - 1410

[www.durlax.com](http://www.durlax.com)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.


# BAMBOO TEXTURE Spectrum




Sheet Size : 1220mm x 2440mm ( 4ft x 8 ft)

**1MM** THICKNESS AN AASA PREMIUM COLLECTION


**TRUDO**™ PREMIUM SURFACES | **DURLAX**® TOP SURFACE LTD




TR - 1301



TR - 1302



TR - 1401



TR - 1402

[www.durlax.com](http://www.durlax.com)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.


# BAMBOO TEXTURE Spectrum




Sheet Size : 1220mm x 2440mm ( 4ft x 8 ft)

**1**MM THICKNESS AN AASA PREMIUM COLLECTION


**TRUDO**™ PREMIUM SURFACES | **DURLAX**® TOP SURFACE LTD




TR - 1403 ❖❖



TR - 1404 ❖❖



TR - 1405 ❖❖



TR - 1406 ❖❖

[www.durlax.com](http://www.durlax.com)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.


# FABRIC TEXTURE Spectrum




Sheet Size : 1220mm x 2440mm ( 4ft x 8 ft)

**1**MM THICKNESS AN AASA PREMIUM COLLECTION


**TRUDO**™ PREMIUM SURFACES | **DURLAX**® TOP SURFACE LTD



TR - 1411



TR - 1412



TR - 1413



TR - 1414

[www.durlax.com](http://www.durlax.com)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.

# JUTE TEXTURE Spectrum

Sheet Size : 1220mm x 2440mm ( 4ft x 8 ft)



**1**MM THICKNESS AN AASA PREMIUM COLLECTION


**TRUDO**™ PREMIUM SURFACES | **DURLAX**® TOP SURFACE LTD



TR - 1307



TR - 1308



TR - 1309



TR - 1310

[www.durlax.com](http://www.durlax.com)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.


# AUTO METALLIC Spectrum




Sheet Size : 1220mm x 2440mm ( 4ft x 8 ft)

**1MM THICKNESS** AN AASA PREMIUM COLLECTION

**TRUDO™** PREMIUM SURFACES | **DURLAX®** TOP SURFACE LTD




TR - 1201 -MT SABLE




TR - 1202 -MT KEYSTONE




TR - 1203 -MT CAMEL



TR - 1204 -MT CORAL BEIGE



TR - 1205 -MT BIRCH



TR - 1206 -MT PLATINUM BEIGE

[www.durlax.com](http://www.durlax.com)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.

# AUTO METALLIC Spectrum

Sheet Size : 1220mm x 2440mm ( 4ft x 8 ft)



**1MM** THICKNESS AN AASA PREMIUM COLLECTION

**TRUDO**™ PREMIUM SURFACES | **DURLAX**® TOP SURFACE LTD




TR - 1207 -MT

NICKEL




TR - 1208 -MT

CHROME



TR - 1209 -MT

MERCURY




TR - 1210 -MT

RHODIUM



TR - 1211 -MT

ALUMINUM



TR - 1212 -MT

PEWTER

[www.durlax.com](http://www.durlax.com)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.

# MATT & GLOSSY Spectrum




Sheet Size : 1220mm x 2440mm ( 4ft x 8 ft )

**1**MM THICKNESS AN AASA PREMIUM COLLECTION


**TRUDO**™ PREMIUM SURFACES | **DURLAX**® TOP SURFACE LTD




TR - 1002-MT SERENITY WHITE




TR - 1004-MT COFFEE CREAMER




TR - 1019-MT PEARL BLUSH



TR - 1102-GL SERENITY WHITE



TR - 1104-GL COFFEE CREAMER



TR - 1119-GL PEARL BLUSH

[www.durlax.com](http://www.durlax.com)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.

# MATT & GLOSSY Spectrum

Sheet Size : 1220mm x 2440mm ( 4ft x 8 ft)



**1**MM THICKNESS AN AASA PREMIUM COLLECTION


**TRUDO**™ PREMIUM SURFACES | **DURLAX**® TOP SURFACE LTD



TR - 1039-MT CREAM BLUSH



TR - 1014-MT TOASTED




TR - 1040-MT BISQUE



TR - 1139-GL CREAM BLUSH



TR - 1114-GL TOASTED



TR - 1140-GL BISQUE

[www.durlax.com](http://www.durlax.com)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.

# MATT & GLOSSY Spectrum



Sheet Size : 1220mm x 2440mm ( 4ft x 8 ft)

**1**MM THICKNESS AN AASA PREMIUM COLLECTION

**TRUDO**™ PREMIUM SURFACES | **DURLAX**® TOP SURFACE LTD




TR - 1042-MT BAVARIAN CREAM



TR - 1006-MT BALLAD BLUE




TR - 1041-MT ILLUSION BLUE



TR - 1142-GL BAVARIAN CREAM



TR - 1106-GL BALLAD BLUE



TR - 1141-GL ILLUSION BLUE

[www.durlax.com](http://www.durlax.com)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.

# MATT & GLOSSY Spectrum




Sheet Size : 1220mm x 2440mm ( 4ft x 8 ft)

**1**MM THICKNESS AN AASA PREMIUM COLLECTION


**TRUDO**™ PREMIUM SURFACES | **DURLAX**® TOP SURFACE LTD




TR - 1043-MT CLASSIC BEIGE




TR - 1010-MT TROUT




TR - 1036-MT BRIDAL BLUSH



TR - 1143-GL CLASSIC BEIGE



TR - 1110-GL TROUT



TR - 1136-GL BRIDAL BLUSH

[www.durlax.com](http://www.durlax.com)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.

# MATT & GLOSSY Spectrum



Sheet Size : 1220mm x 2440mm ( 4ft x 8 ft )

**1**MM THICKNESS AN AASA PREMIUM COLLECTION

**TRUDO**™ PREMIUM SURFACES | **DURLAX**® TOP SURFACE LTD




TR - 1026-MT

SPHINX




TR - 1025-MT

BERYL GREEN



TR - 1029-MT

OPAL GREEN



TR - 1126-GL

SPHINX



TR - 1125-GL

BERYL GREEN



TR - 1129-GL

OPAL GREEN

[www.durlax.com](http://www.durlax.com)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.


# MATT Spectrum

Sheet Size : 1220mm x 2440mm ( 4ft x 8 ft)



**1**MM THICKNESS AN AASA PREMIUM COLLECTION


**TRUDO**™ PREMIUM SURFACES | **DURLAX**® TOP SURFACE LTD




TR - 1002-MT SERENITY WHITE




TR - 1003-MT ORCHID WHITE



TR - 1004-MT COFFEE CREAMER



TR - 1019-MT PEARL BLUSH



TR - 1001-MT ILLUSION WHITE



TR - 1028-MT GRANITE BLACK

[www.durlax.com](http://www.durlax.com)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.


# MATT Spectrum

Sheet Size : 1220mm x 2440mm ( 4ft x 8 ft)




**1**MM THICKNESS AN AASA PREMIUM COLLECTION

**TRUDO**™ PREMIUM SURFACES | **DURLAX**® TOP SURFACE LTD



TR - 1005-MT BALLAD GREY




TR - 1001-MT ILLUSION WHITE



TR - 1007-MT ILLUSION BLUE



TR - 1006-MT BALLAD BLUE



TR - 1009-MT PEARL GREY



TR - 1008-MT MISTY GREY

[www.durlax.com](http://www.durlax.com)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.

# MATT Spectrum

Sheet Size : 1220mm x 2440mm ( 4ft x 8 ft)




**1MM** THICKNESS AN AASA PREMIUM COLLECTION

**TRUDO**™ PREMIUM SURFACES | **DURLAX**® TOP SURFACE LTD




TR - 1044 -MT AESTHETIC GREY



TR - 1036-MT BRIDAL BLUSH



TR - 1014-MT TOASTED



TR - 1012-MT SAND DOLLAR



TR - 1011-MT PALOMA



TR - 1010-MT TROUT

[www.durlax.com](http://www.durlax.com)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.


# MATT Spectrum




Sheet Size : 1220mm x 2440mm ( 4ft x 8 ft)

**1**MM THICKNESS AN AASA PREMIUM COLLECTION


**TRUDO**™ PREMIUM SURFACES | **DURLAX**® TOP SURFACE LTD



TR - 1018-MT CREAM BLUSH




TR - 1016-MT BISQUE




TR - 1037-MT CORN SILK



TR - 1013-MT GREIGE



TR - 1015-MT CLASSIC BEIGE



TR - 1017-MT APRICOT BLUSH

[www.durlax.com](http://www.durlax.com)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.


# MATT Spectrum



Sheet Size: 1220mm x 2440mm (4ft x 8 ft)

**1MM THICKNESS** AN AASA PREMIUM COLLECTION

**TRUDO**™ PREMIUM SURFACES | **DURLAX**® TOP SURFACE LTD



TR - 1038-MT WARM TAUPE




TR - 1035-MT ROSY BROWN




TR - 1034-MT SADDLE BROWN



TR - 1042-MT BAVARIAN CREAM



TR - 1032-MT SCALLOP SHELL



TR - 1027-MT ROSE QUARTZ

[www.durlax.com](http://www.durlax.com)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.

# MATT Spectrum



Sheet Size : 1220mm x 2440mm ( 4ft x 8 ft)

**1**MM THICKNESS AN AASA PREMIUM COLLECTION

**TRUDO**™ PREMIUM SURFACES | **DURLAX**® TOP SURFACE LTD



TR - 1030-MT SMOKE GREEN



TR - 1024-MT TOURMALINE




TR - 1023-MT ARUBA GREEN



TR - 1021-MT BALLAD BLUE



TR - 1020-MT CRYSTAL BLUE



TR - 1031-MT BLUE TINT

[www.durlax.com](http://www.durlax.com)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.


Thickness : **1mm (± 10%) ( Same as sample use in brochure)**

Available in Size : **1220mm x 2440mm (4 Feet x 8 Feet)**


# Technical Features

 1mm THICKNESS	 HIGH GRADE SCRATCH RESISTANCE	 ANTI FINGER PRINT	 SATIN SMOOTH FINISH
 UV PROTECTED	 BORER & TERMITE PROOF	 NO CRACK	 EASILY BENDABLE

### PANEL STRUCTURE




- Protective Film
- Uv Matt Layer (TTCR Technology)
- TRUDO AASA Full Body Core**
- Primer Coating



**TRUDO AASA Full Body Core**  
(Top to bottom single colour material)

#### TTCR Technology



**Zero Matt Finish**  
(Titanium and tungsten carbide roller)



**1MM THICKNESS** AN AASA PREMIUM COLLECTION

**TRUDO**™ PREMIUM SURFACES | **DURLAX**® TOP SURFACE LTD

## UV Stability / Weather Resistance

Free from all UV Stabilizer's which addresses environment issue. Always ensure easy colouring and show mechanical properties everywhere. Elastomer keep its properties at low temperature, remedying plastic resin's shortcomings.

## Chemical Resistance

It is highly solvent-resistant. It can be applied to a variety of purposes.

### GENERAL USE & CARE GUIDE:

- DURLAX TRUDO AASA laminate sheets are designed for easy maintenance and durability. Follow these guidelines for optimal performance:
- Stain Removal:** For stubborn stains, use mild household glass cleaners like Colin. Gently wipe the surface with a non-abrasive cloth.
  - Avoid Abrasive Cleaners:** Refrain from using abrasive liquid cleaners, bleaches, or solvents, as they may harm the laminate sheet surface. Clean with water and a non-abrasive cloth.
  - Surface Recommendation:** Glossy surfaces are best suited for vertical applications.
  - Thinner Usage:** Do not apply thinner to laminate sheets.

### INSTALLATION INSTRUCTIONS:

- Clean the dust particles from the surface of the substrate (plywood, MDF, chipboard) with a cloth, soft brush, sponge or sandpaper.
- Apply the adhesive evenly with a brush, roller or adhesive spray on both the laminate sheet and the substrate (plywood, MDF, chipboard).
- When pressing on the laminate sheet base (plywood, MDF, chipboard), use a soft-pressure roller or a normal pressing technique. Pressing must be done from the centre of the panel and moved to the sideline and corners of the panel.

### TECHNICAL SPECIFICATION

	TRUDO AASA	PVC	ACRYLIC	UV
Before	TRUDO AASA - STD	PVC - STD	POLY - STD	UV - STD
AFTER (300 HR)	TRUDO 300 HR E=2.5	PVC 300 HR	POLY 300 HR E=3.0	UV 300 HR E= 10.0

	TRUDO AASA	ACRYLIC
PENCIL HARDNESS	HB	HB
ROCKWELL HARDNESS	93	87

	ACRYLIC	UV	PVC	TRUDO AASA
ECO-FRIENDLY	x	x	x	✓
WEATHER RESISTANCE	x	x	✓	✓
SMOOTHNESS	x	x	✓	✓
2ND PROCESSABILITY	x	x	✓	✓
A/S AVAILABILITY	x	x	✓	✓
HEAT RESISTANCE	x	x	x	✓

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.